

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address, COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/054,122	11/13/2001	Frank Venegas JR.	IDS-13802/14	6422	
25006	7590 07/14/2004		EXAMINER		
GIFFORD, KRASS, GROH, SPRINKLE ANDERSON & CITKOWSKI, PC			LE, TAN		
	WOODARD AVE	ART UNIT	PAPER NUMBER		
SUITE 400		3632			
BIRMINGHA	AM, MI 48009	DATE MAILED: 07/14/2004			

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applicati	on No.	Applicant(s)				
Office Action Summany								
		10/054,1		VENEGAS, FRANK				
	Office Action Summary	Examine	•	Art Unit	100.1			
	The MAN INC DATE of this communication of	Tan Le	and the second south the second	3632	MU/			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1) 🂢	Responsive to communication(s) filed on 22	2 December 2	003.					
-	This action is FINAL . 2b)⊠ This action is non-final.							
3)□	•							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
5)⊠ 6)⊠ 7)⊠	 ✓ Claim(s) 1,2 and 4-18 is/are pending in the application. 4a) Of the above claim(s) 9,10 and 17 is/are withdrawn from consideration. ✓ Claim(s) 15 and 16 is/are allowed. ✓ Claim(s) 1,2,4-7,11-14 and 18 is/are rejected. ✓ Claim(s) 8 is/are objected to. ✓ Claim(s) are subject to restriction and/or election requirement. 							
Applicati	ion Papers							
10)	The specification is objected to by the Exami The drawing(s) filed on is/are: a) a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the	ccepted or b) he drawing(s) b ection is requir	ne held in abeyance. See ed if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 C	•			
Priority u	under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
2) Notic	e of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/0 or No(s)/Mail Date	08)	4) Interview Summary Paper No(s)/Mail Do 5) Notice of Informal F 6) Other:	ate	O-152)			

Art Unit: 3632

DETAILED ACTION

1. This is the fourth office action for application serial number 10/054,122. This application contains 17 claims numbered 1-2 and 4-18. Claim 3 has been canceled. Claims 9-10 and 17 have been withdrawn as being non-elected species.

2. In view of the Appeal Brief filed on 12/23/03, PROSECUTION IS HEREBY REOPENED. A new ground of rejection is set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

- (1) File a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,
 - (2) Request reinstatement of the appeal.

If reinstatement of the appeal is requested, such request must be accompanied by a supplemental appeal brief, but no new amendments, affidavits (37 CFR 1.130, 1.131 or 1.132) or other evidence are permitted. See 37 CFR 1.193(b)(2).

Claim Rejections - 35 USC § 103

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-2, 4-7, 11-12, 14 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 3,883,257 to Delafield (of record) in view of US Patent No. 4,662,591 to Encontre.

Regarding claims 1 and 11 and 14, Delafield discloses a collapsible table

Art Unit: 3632

(Figs. 1-5) comprising: a glass table top (38) (see also col. 4, line 19), a table base top portion disposed in a generally horizontal plane, the top portion comprising a plurality of releasably interconnected horizontal members (36) for supporting the table top thereon; a support portion for supporting the top portion, the support portion comprising a plurality of elongated members (52) releasably interconnected to one another, the elongated members including leg members (52) having lower ends for engaging the floor; and removable structure fittings (10) releasably interconnecting the top portion and the support portion so as to form a generally a rigid base.

Delafield teaches substantially as claimed as discussed above except for the replaceable polymerized sheathing being surrounding the entire each of the tubular members including horizontal members and the elongated members to provide an aesthetic pleasing appearance wherein the sheathing has an inner diameter equal to or greater than the outer diameter of the members.

Encontre discloses a replaceable sheathing or decorative cover (92) surrounding with only the table legs in order to provide an appearance of the table leg and to create a desired decorative effect.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a plurality of decorative covers surrounding the table legs and the horizontal frame of Delafield for the desirable purpose of simply catching more area of the table including the table legs and the horizontal members to create a more appearance and more desired decorative effect.

Art Unit: 3632

At the time the invention was made, it would also has been obvious matter of design choice to a person of ordinary skill in the art to provide a plurality of decorative covers or sheathing surrounding the table legs and the horizontal members of Delafield because Applicant not disclosed that the sheathing for the horizontal member provides an advantage or solves a stated problem except for the aesthetically pleasing. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with the decorative legs of Encontre because Encontre also teaches to provide an aesthetic appearance of the table leg and to create a desired decorative effect. Therefore, it would have been an obvious matter of design choice to modify Delafield to obtain the invention as specified in claims 1 and 11.

Delafield in view of Encontre also lacks teaching of the material of the sheathing as claimed. However, the material selection is also considered a matter of design choice and economics. The material as selected may be made from any suitable material that possesses sufficient strength to withstand any conditions or object to which it is exposed or attached. Nevertheless, the material selected is commercially available and the selection is considered non-limited. It is therefore, considered as a matter of design choice.

Claims 2, 4, 5, 7,12 and 18 recited limitations, which are also shown by Delafield in view of Encontre as evidently shown on Figs. 1-5 of Delafield.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Delafield in view of Encontre and further in view of U.S Patent No. 3,462,021 to Hawke et al. (of record).

Art Unit: 3632

Delafield as modified discloses substantially as claimed except for the slip-in structural fitting having a connector.

Hawke et al. teaches the slip-in structural fitting having a connector (s-x) operable to connect the fitting to one of the tubes.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to include a connector in the fitting of Delafield for the desirable purpose of providing a stronger connection between the tube and the fitting as taught by Hawke et al.

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Delafield in view of Encontre and further in view U.S Patent No. 3,910,206 to Jay.

Unlike Delafied as modified, Jay discloses a first leg brace (24d, 24b, 24a, 24c) interconnects between two of the legs between the lower and upper ends thereof.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have provided the brace interconnected between the two legs as taught by Jay in order to provide stronger support for the table.

Allowable Subject Matter

4. Claim 8 is objected to, but would be allowable if rewritten to include all of the limitations of the base claim and any intervening claims.

Claims 15 and 16 are allowed, and the reasons for indication of allowable subject matter have been provided in the previous office action.

Art Unit: 3632

Conclusion

5. This action is made non-final.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tan Le whose telephone number is (703) 305-8244. The examiner can normally be reached on Mon-Fri. from 9:00AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun can be reached on (703) 308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

p Q

Tan Le July 9, 2004.

PRIMARY EXAMINER

Page 6